

## 10. Literature Cited

Agee, J. K. 1998. The landscape ecology of western forest fire regimes. *Northwest Science* 72: 24-34.

Allen, C. R., and C. S. Holling. 2002. Cross-scale structure and scale breaks in ecosystems and other complex systems. *Ecosystems* 5: 315-318.

American Ornithologists' Union. 1998. Check-list of North American birds. 7<sup>th</sup> ed. American Ornithologists' Union, Washington DC, USA.

Amman, G. W., and W. E. Cole. 1983. Mountain pine beetle dynamics in lodgepole pine forests part II: population dynamics. USDA Forest Service General Technical Report INT-145. Ogden, Utah, USA.

Angelstam, P., and G. Mikusinski. 1994. Woodpecker assemblages in natural and managed boreal and hemiboreal forest - a review. *Annals Zoologica Fennici* 31: 157-172.

Apfelbaum, S., and A. Haney. 1981. Bird populations before and after wildlife in a Great Lakes pine forest. *Condor* 83: 347-354.

Anderson, J. E., and R. S. Inouye. 2001. Landscape-scale changes in plant species abundance and biodiversity of a sagebrush steppe over 45 years. *Ecological Monographs* 71: 531-556.

Arnaiz-Villena, A., J. Guillen, V. Ruiz-Del-Valle, E. Lowy, J. Zamora, P. Varela, D. Stefani, and L. M. Allende. 2001. Phylogeography of crossbills, bullfinches, grosbeaks, and rosefinches. *Cellular and Molecular Life Sciences* 8: 1159-1166.

Arno, S. F., and G. E. Gruell. 1986. Douglas-fir encroachment in to mountain grasslands in southwestern Montana. *Journal of Range Management* 39: 272-275.

Aubrey, K. B., and C. M. Raley. 2002. Selection of nest and roost trees by pileated woodpeckers in coastal forests of Washington. *Journal of Wildlife Management* 66: 392-406.

Bailey, R. G. 1996. *Ecosystem geography*. Springer-Verlag, New York, New York, USA.

Balda, R., B. C. McKnight, and C. D. Johnson. 1975. Flammulated owl migration in the southwestern United States. *Wilson Bulletin* 87: 520-533.

Baldwin, P. 1960. Overwintering of woodpeckers in bark-beetle-infested spruce forests in Colorado. *International Ornithological Congress* 12: 71-84.

Baldwin, P. 1968. Woodpecker feeding on Engelmann spruce beetle in windthrown trees. USDA Forest Service Research Note RM-105, Fort Collins, Colorado, USA.

- Bangs, O. 1900. The American three-toed woodpeckers. *Auk* 17: 127-142.
- Bart, J., S. Droege, P. Geissler, B. Peterjohn, and C. J. Ralph. 2004. Density estimation in wildlife surveys. *Wildlife Society Bulletin* 32: 1242-1247.
- Bebi, P., D. Kulakowski, and T. T. Veblin. 2003. Interactions between fire and spruce beetles in a subalpine Rocky Mountain forest landscape. *Ecology* 84: 362-371.
- Beier, P., and J. E. Drennen. 1997. Forest structure and prey abundance in foraging areas of northern goshawks. *Ecological Applications* 7: 564-571.
- Beissinger, S. R. 2002. Population viability analysis: past, present and future. Pages 5-17 *in* Population viability analysis. S. R. Beissinger, and D. R. McCullough, editors. University of Chicago Press, Chicago, Illinois, USA.
- Beissinger, S. R., and M. I. Westfall. 1998. On the use of demographic models of population viability in endangered species management. *Journal of Wildlife Management* 62: 821-841.
- Belovsky, G. F., C. Mellison, C. Larson, and P. A. Van Zandt. 2002. How good are PVA models? Resting their predictions with experimental data on the brine shrimp. Pages 257-283 *in* Population viability analysis. S. R. Beissinger, and D. R. McCullough, editors. University of Chicago Press, Chicago, Illinois, USA.
- Bent, A. C. 1938. Flammulated screech owl. Pages 291-295 *in* Life histories of North American birds of prey. US National Museum Bulletin 170, Part 2, Washington, DC, USA.
- Berglund, D. 2005. Comparison of 1937-1948 timber inventories and current FIA data. Unpublished mimeo on file, Flathead National Forest, Kalispell, Montana, USA.
- Blackford, J. L. 1955. Woodpecker concentrations in burned forest. *Condor* 57: 28-30.
- Bloxton, T. D., Jr. 2002. Prey abundance, space use, demography, and foraging habitat of northern goshawks in western Washington. Master's thesis, University of Washington, Seattle, Washington, USA.
- Boch, C. E., and J. H. Boch. 1974. On the geographical ecology and evolution of three-toed woodpeckers, *Picoides tridactylus* and *P. arcticus*. *American Midland Naturalist* 92: 397-405.
- Boch, C. E., and J. F. Lynch. 1970. Breeding bird populations of burned and unburned conifer forest in the Sierra Nevada. *Condor* 72: 182-189.
- Bonar, R. L. 2001. Pileated woodpecker habitat ecology in the Alberta foothills. Dissertation, University of Alberta, Edmonton, Canada.
- Bourdo, E. A. and G. A. Hesterburg. 1951. Observations on the arctic three-toed woodpecker. *Jack-Pine Warbler* 29: 78-81.

- Bowman, J. 2003. Is dispersal distance of birds proportional to territory size? *Canadian Journal of Zoology* 81: 195-202.
- Boyce, M. S. 1992. Population viability analysis. *Annual Review of Ecology and Systematics* 23: 481-506.
- Braun, C. E., J. H. Henderson, M. R. Fuller, Y. B. Linhart, and C. D. Marti. 1996. Northern goshawk and forest management in the southwestern United States. *The Wildlife Society Technical Review* 96-2.
- Bright-Smith, D. J., and R.W. Mannan. 1994. Habitat use by breeding male northern goshawks in northern Arizona. *Studies in Avian Biology* 16: 58-65.
- Bull, E. L. 1980. Bird responses to beetle-killed lodgepole pine. *The Murrelet* 64: 94-96.
- Bull, E. L. 1983. Longevity of snags and their use by woodpeckers. Pages 64-68 *in* Snag habitat management. J. W. Davis, G. A. Goodwin and R. A. Ockenfels, editors. USDA Forest Service General Technical Report RM-99, Fort Collins, Colorado, USA.
- Bull, E. L. 1987. Ecology of the pileated woodpecker in northeastern Oregon. *Journal of Wildlife Management* 51: 472-481.
- Bull, E. L., and R. G. Anderson. 1978. Notes of flammulated owl in northeastern Oregon. *Murrelet* 59: 26-28.
- Bull, E. L., S. R. Peterson, and J. W. Thomas. 1986. Resource partitioning among woodpeckers in northeastern Oregon. USDA Forest Service Research Note PNW-444.
- Bull, E. L., A. L. Wright, and M. G. Henjum. 1990. Nesting habitats of flammulated owls in Oregon. *Journal of Raptor Research* 24: 52-55.
- Bull, E., R. S. Holthausen, and M. G. Henjum. 1992. Roost trees used by pileated woodpeckers in northeastern Oregon. *Journal of Wildlife Management* 56: 786-793.
- Bull, E. L., and R. S. Holthausen. 1993. Habitat use and management of pileated woodpeckers in northeastern Oregon. *Journal of Wildlife Management* 57: 335-345.
- Bull, E. L., and J. A. Jackson. 1995. Pileated woodpecker (*Dryocopus pileatus*). No. 148. A. Poole, and F. Gill, editors. The Academy of Natural Sciences, Philadelphia, Pennsylvania, and The American Ornithologists' Union, Washington, DC, USA.
- Camp, A., C. Oliver, P. Hessburg, and R. Everett. 1997. Predicting late-successional fire refugia pre-dating European settlement in the Wenatchee Mountains. *Forest Ecology and Management* 95: 6-77.

- Caton, E. L. 1996. Effects of fire and salvage logging on the cavity-nesting bird community in northwestern Montana. Dissertation, University of Montana, Missoula, Montana, USA.
- Christie, D. A., and A. M. van Woudenberg. 1997. Modeling critical habitat for flammulated owls (*Otus flammeolus*). Pages 97-106 in *Biology and conservation of owls of the northern hemisphere*. J. R. Duncan, D. H. Johnson, and T. H. Nichols, editors. USDA Forest Service General Technical Report NC-190, St. Paul, Minnesota, USA.
- Clark, R. J. 1988. Survey techniques for owl species in the northeast. Pages 318-327 in *National Wildlife Federation Proceedings of the northeast raptor management symposium and workshop*. National Wildlife Federation Technical Series No. 13.
- Clough, L. 1990. Nesting habitat selection and productivity of northern goshawks in west-central Montana. Master's thesis, University of Montana, Missoula, Montana, USA.
- Connor, R. N. 1979. Seasonal changes in woodpecker foraging methods: strategies for winter survival. Pages 95-105 in *The role of insectivorous birds in forest ecosystems*. J. C. Dicks, R. N. Connor, R. R. Fleet, J. C. Kroll, and J. A. Jackson, editors. Academic Press, New York, New York, USA.
- Connor, R. N. 1980. Foraging habitats of woodpeckers in southwestern Virginia. *Journal of Field Ornithology* 51: 119-127.
- Connor, R. N. 1981. Seasonal changes in woodpecker foraging patterns. *Auk* 98: 562-570.
- Connor, R. N. 1989. Foraging habitats of woodpeckers in southeastern Virginia. *Journal of Field Ornithology* 51: 119-127.
- Connor, R. N., O. K. Miller, Jr., and C. S. Atkinson. 1976. Woodpecker dependence on trees infected by fungal heart rots. *Wilson Bulletin* 88: 575-581.
- Coues, E. 1893. *The history of the Lewis and Clark Expedition*. Francis P. Harper, New York, New York, USA.
- Crocket, A. B., and P. L. Hansley. 1978. Apparent response of *Picoides* woodpeckers to outbreaks of the pine bark beetle. *Western Birds*: 67-70.
- Daw, S. K., and S. Destafano. 2001. Forest characteristics of northern goshawk stands and post-fledging areas in Oregon. *Journal of Wildlife Management* 65: 59-65.
- Dechant, J. A. 2001. Range expansion of the pileated woodpecker in North Dakota. *Prairie Naturalist* 33: 163-182.
- Dixon, R. D., and V. A. Saab. 2000. Black-backed woodpecker (*Picoides arcticus*). No. 509. In *Birds of North America*. A. Poole, and F. Gill, editors. The Academy of Natural Sciences, Philadelphia, Pennsylvania, and The American Ornithologists' Union, Washington, DC, USA.

- Doyle, F. I., and J. N. M. Smith. 1994. Population responses of northern goshawks to the 10-year cycle in numbers of snowshoe hares. *Studies in Avian Biology* 16: 122-29.
- Drennen, J. E., and P. Beier. 2003. Forest structure and prey abundance in winter habitat of northern goshawks. *Journal of Wildlife Management* 67: 177-185.
- Dunham, S., L. Butcher, D. A. Charlet, and J. M. Reed. 1996. Breeding range and conservation of flammulated owls (*Otus flammeolus*) in Nevada. *Journal of Raptor Research* 30: 189-193.
- Egan, D., and E. A. Howell. 2001. *The historical ecology handbook. A restorationist's guide to reference ecosystems.* Island Press, Covelo, California, and Washington, DC, USA.
- Fayt, P. 2003. Insect prey population changes in habitats with declining vs. stable three-toed woodpecker (*Picoides tridactylus*) populations. *Ornis Fennica* 80: 182-192.
- Flemming, S. P., G. L. Holloway, E. J. Watts, and P. S. Lawrence. 1999. Characteristics of foraging trees selected by pileated woodpeckers in New Brunswick. *Journal of Wildlife Management* 63: 461-469.
- Foster, D. R., D. A. Orwig, and J. S. McLachlan. 1996. Ecological and conservation insights from reconstructive studies of temperate old-growth forests. *Trends in Ecology and Evolution* 11: 419-424.
- Frankel, O. H., and M. E. Soule. 1981. *Conservation and evolution.* Cambridge University Press, Cambridge, United Kingdom.
- Furniss, R. L. 1965. Susceptibility of fire-injured Douglas-fir to bark beetle attack in southern Idaho. *Journal of Forestry* 63: 11-13.
- Gallant, A., A. J. Hansen, J. S. Councilman, D. K. Monte, and D. W. Betz. 2003. Vegetation dynamics under fire exclusion and logging in a Rocky Mountain watershed. *Ecological Applications* 13: 385-403.
- Gibbs, J., and J. Faaborg. 1991. Estimating the viability of ovenbird and Kentucky warbler populations in forest fragments. *Conservation Biology* 4: 193-196.
- Giese, C. L. A., and F. J. Cuthbert. 2000. Influence of surrounding vegetation on woodpecker nest tree selection in oak forests of the upper Midwest. *Forest Ecology and Management* 179: 523-534.
- Gilpin, M. E., and M. E. Soule. 1986. Minimum viable populations: processes of species extinction. Pages 19-34 *in* *Conservation biology: the science of scarcity and diversity.* M. E. Soule, editor. Sinauer Associates, Sunderland, Massachusetts, USA.

- Giroux, J. F., and J. P. Savard. 2003. Snag use by foraging black-backed woodpeckers (*Picoides arcticus*) in a recently burned eastern boreal forest. *Auk* 120: 505-511.
- Good, R. E. 1998. Factors affecting the relative use of northern goshawk (*Accipiter gentilis*) kill areas in south central Wyoming. Master's thesis, University of Wyoming, Laramie, Wyoming, USA.
- Goggans, R. 1986. Habitat use by flammulated owls in northeastern Oregon. Master's thesis, Oregon State University, Corvallis, Oregon, USA.
- Groom, M. J., and M. A. Pascal. 1998. The analysis of population persistence: an outlook on the practice of viability analysis. Pages 2-27 in *Conservation biology for the coming decade*. P. L. Fiedler, and P. M. Kareiva, editors. Chapman and Hall, New York, New York, USA.
- Groot, P., and R. W. Nott. 2004. Response of the whitespotted sawyer beetle, *Monochamus s. scutellatus*, and associated beetles to pheromones of some *Ips* and *Dendroctonus* bark beetles. *Journal of Applied Entomology* 128: 483-488.
- Groves, C., T. Fredrick, G. Frederick, E. Atkinson, M. Atkinson, J. Shepard, and G. Servheen. 1997. Density, distribution, and habitat of flammulated owls in Idaho. *Great Basin Naturalist* 57: 116-123.
- Gruell, G. E. 1983. Fire and vegetation trends in the Northern Rockies: interpretations from 1871-1892 photographs. USDA Forest Service General Technical Report INT-158, Ogden, Utah, USA.
- Gurevitch, J., P. S. Curtis, and M. H. Jones. 2001. Meta-analysis in ecology. *Advances in Ecological Research* 32: 200-241.
- Habeck, J. R. 1994. Using General Office records to assess forest succession in ponderosa pine-Douglas-fir forests in western Montana. *Northwest Science* 68: 69-78.
- Hammond, H. E. J., D. W. Langor, and J. R. Spence. 2004. Saproxylic beetles (Coleoptera) using *Populus* in boreal aspen stands of western Canada: spatiotemporal variation and conservation of assemblages. *Canadian Journal of Forest Research* 34: 1-19.
- Hanauska-Brown, L. A. 2000. Evaluation of northern goshawk (*Accipiter gentilis*) productivity, nestling growth, and adult health in relation to a central Idaho habitat potential model. Master's thesis, Boise State University, Boise, Idaho, USA.
- Hanauski-Brown, L. A., M. J. Bechard, and G. J. Roloff. 2003. Northern goshawk breeding ecology and nestling growth in mixed conifer forests of west-central Idaho. *Northwest Science* 77: 331-339.
- Hargis, C. D., C. McCarthy, and R. D. Perloff. 1994. Home ranges and habitats of Northern Goshawks in eastern California. *Studies in Avian Biology* 16: 66-74.

Harris, M.A. 1982. Habitat use among woodpeckers in forest burns. Master's thesis, University of Montana, Missoula, Montana, USA.

Haufler, J. B., R. K. Baydack, H. Campa, H. III, B. J. Kernohan, C. Miller, L. J. O'Neil, and L. Waits. 2002. Performance measures for ecosystem management and ecological sustainability. The Wildlife Society Technical Review 02-1.

Hayes, J. L., and G. E. Daterman. 2001. Bark beetles (Scolytidae) in eastern Oregon and Washington. Northwest Science 75: 21-30.

Hayward, G. D., and R. E. Escano. 1989. Goshawk nest-site characteristics in western Montana and northern Idaho. Condor 91: 476-479.

Hayward, G. D., and J. Verner. 1994. Flammulated, boreal, and great gray owls in the United States: A technical conservation assessment. USDA Forest Service General Technical Report RM-253, Fort Collins, Colorado, USA.

Heinselman, M. L. 1973. Fire in the virgin forests of the Boundary Waters Canoe Area, Minnesota. Quaternary Research 3: 329-382.

Hejl, S., and M. McFadzen. 1998. Maintaining fire-associated bird species across forest landscapes in the Northern Rockies. 1998 interim report. USDA Forest Service Rocky Mountain Research Station, Missoula, Montana, USA.

Hessburg, P. F., and J. K. Agee. 2003. An environmental narrative of inland northwest United States Forest. Forest Ecology and Management 178: 23-59.

Hessburg, P. F., J. K. Agee, and J. F. Franklin. 2004. Dry forests and wildlife fires in the inland Northwest USA: contrasting landscape ecology of the pre-settlement and modern eras. Forest Ecology and Management. In press.

Higgins, K. F. 1986. Interpretation and compendium of historical fire accounts in the northern Great Plains. USDI Fish and Wildlife Research Publication 161, Washington, DC, USA.

Hoffman, N. J. 1997. Distribution of Picoides woodpeckers in relation to habitat disturbance within the Yellowstone area. Master's thesis, Montana State University, Bozeman, Montana, USA.

Holling, C. S. 1992. Cross-scale morphology, geometry, and dynamics of ecosystems. Ecological Monographs 62: 447-502.

Howie, R. R., and R. and Ritcey. 1987. Distribution, habitat selection, and densities of flammulated owls in British Columbia. Pages 249-254 in Biology and Conservation of Owls. R. W. Nero, R. J. Clark, R. J. Knapton, and R. H. Hamre, editors. USDA Forest Service General Technical Report RM-142, Fort Collins, Colorado, USA.

This March 6 2006 version replaces all earlier versions.

Hoyt, J. S. 2000. Habitat associations of black-backed *Picoides arcticus* and three-toed *P. tridactylus* woodpeckers in the northeastern boreal forest of Alberta. Dissertation, University of Alberta, Edmonton, Alberta, Canada.

Hoyt, J. S., and S. J. Hannon. 2002. Habitat associations of black-backed and three-toed woodpeckers in the boreal forest of Alberta. *Canadian Journal of Forest Research* 32: 1881-1888.

Hoyt, S. Y. 1950. The feeding ecology of the pileated woodpecker. *Bulletin of the Massachusetts's Audubon Society* 34: 99-103.

Hughes, K. K. 2000. Foraging ecology of *Picoides* woodpeckers in relation to ponderosa pine decay dynamics. Master's thesis, University of Idaho, Moscow, Idaho, USA.

Hurlbert, S. H. 1984. Pseudoreplication and the design of ecological field experiments. *Ecological Monographs* 54:187-211.

Hutto, R. L. 1995. Composition of bird communities following stand replacement fires in Northern Rocky Mountain (U.S.A.) conifer forests. *Conservation Biology* 9: 1041-1058.

Johnson, N. K., and W. C. Russell. 1962. Distribution data on certain owls in the western Great Basin. *Condor* 64: 513-514.

Jones, J., P. J. Doran, and R. T. Holmes. 2003. Climate and food synchronize regional bird abundances. *Ecology* 84: 3024-3032.

Joy, S. M. 2002. Northern goshawk habitat on the Kaibab National Forest in Arizona: factors affecting nest locations and territorial quality. Dissertation, Colorado State University, Fort Collins, Colorado, USA.

Kelly, E. G., E. D. Forsman, and R. G. Anthony. 2003. Are barred owls displacing spotted owls? *Condor* 105: 45-53.

Kennedy, P. L. 1997. The northern goshawk (*Accipiter gentilis atricapillus*): is there evidence of a population decline. *Raptor Research* 31:95-106.

Kennedy, P. L. 2003. Northern goshawk (*Accipiter gentilis atricapillus*): a technical conservation assessment. Unpublished report, USDA Forest Service, Rocky Mountain Region, Species Conservation Project, Denver, Colorado, USA.

Kirk, D. A., and B. J. Naylor. 1996. Habitat requirements of the pileated woodpecker (*Dryocopus pileatus*) with special reference to Ontario. Ontario Ministry of Environment, South Central Science and Technology Report 46, Toronto, Ontario, Canada.

This March 6 2006 version replaces all earlier versions.

- Knopf, F. L., and F. B. Samson. 1997. Ecological Studies 125. Ecology and conservation of great plains vertebrates. Springer-Verlag, New York, New York, USA.
- Koenig, W. D., P. N. Hooge, M. T. Stanback, and J. Haydock. 2000. Natal dispersal in the cooperatively breeding acorn woodpecker. *Condor* 102: 492-502.
- Koplin, J. R. 1969. The numerical response of woodpeckers to insect prey in a subalpine forest in Colorado. *Condor* 71: 436-438.
- Koplin, J. R. 1972. Measuring predator impact of woodpeckers on spruce beetles. *Journal of Wildlife Management* 36: 308-320.
- Kreisel, I. J., and S. J. Stein. 1999. Bird use of burned and unburned coniferous forests during winter. *Wilson Bulletin* 111: 243-250.
- Kroll, J. C., and R. R. Fleet. 1978. Impact of woodpecker predation on over-wintering within tree populations of the southern pine beetle. Pages 269-281 in *The role of insectivorous birds in forest ecosystems*. J. G. Dickson, R. N. Conner, R. R. Fleet, J. A. Jackson, and J. C. Froll, editors. Academic Press, San Francisco, California, USA.
- La Sorte, F. A., R. W. Mannan, R. T. Reynolds, and T. G. Grubb. 2004. Habitat associations of sympatric red-tailed hawks and northern goshawks on the Kaibab Plateau. *Journal of Wildlife Management* 68: 307-317.
- Larocque, F. A. 1934. The journals of Francois Antoine Larocque from the Assiniboine River to Yellowstone-1805. R. Hazlitt, translator and editor. *The Frontier* 14: 241-247, 332-339, 15: 67-75, 88.
- Lesica, P., and S. V. Cooper. 1992. Presettlement vegetation of southern Beaverhead County, Montana. Unpublished report, Natural Heritage Program, Helena, Montana, USA.
- Lester, A. M. 1980. Numerical response of woodpeckers and their effect on mortality of mountain pine beetles in lodgepole pine in northwestern Montana. Master's thesis, University of Montana, Missoula, Montana, USA.
- Linkhart, B. D. 2001. Life history characteristics and habitat quality of flammulated owls (*Otus flammeolus*) in Colorado. Dissertation, University of Colorado, Boulder, Colorado, USA.
- Linkhart, B. D., R. T. Reynolds, and R. A. Ryder. 1998. Home range and habitat of breeding flammulated owls in Colorado. *Wilson Bulletin* 110: 342-351.
- Ludwig, D. 1996. Uncertainty and the assessment of extinction probabilities. *Ecological Applications* 6: 1067-1076.

- Ludwig, D. 1999. Is it meaningful to estimate the probability of extinction? *Ecology* 80: 298-310.
- Marshall, J. T. 1939. Territorial behavior of the flammulated owl. *Condor* 1: 71-78.
- Marshall, D. B. 1992. Status of the black-backed woodpecker in Oregon and Washington. In *Bibliography of selected literature regarding the management of cavity excavators in east side habitats: Oregon and Washington*. USDA Forest Service, LaGrande, Oregon, USA.
- Marti, C. D. 1997. Flammulated owls (*Otus flammeolus*) breeding in deciduous forests. Pages 262-266 in *1997 Biology and conservation of owls of the northern hemisphere*. J. R. Duncan, D. H. Johnson, and T. H. Nichols, editors. USDA Forest Service General Technical Report NC-190, St. Paul, Minnesota, USA.
- Martin, K., and J. M. Eadie. 1999. Nest webs: A community-wide approach to the management and conservation of cavity nesting birds. *Forest Ecology and Management* 115: 243-257.
- Mayfield, H. 1958. Nesting of black-backed and three-toed woodpeckers in Michigan. *Wilson Bulletin* 2: 195-196.
- McAllister, K. 2004. Letter to the National Forests and Grassland, on file, Northern Region, USDA Forest Service, Missoula, Montana, USA.
- McCallum, D. A. 1994a. Flammulated owl (*Otus flammeolus*). In *Birds of North America*. No. 93. A. Poole, and F. Gill, editors. The Academy of Natural Sciences, Philadelphia, Pennsylvania, and The American Ornithologists' Union, Washington, DC, USA.
- McCallum, D. A. 1994b. Review of technical knowledge: flammulated owls. Pages 14-46 in *Flammulated, boreal, and great gray owls in the United States: a technical conservation assessment*. USDA Forest Service General Technical Report RM-253, St. Paul, Minnesota, USA.
- McCallum, D. A., and F. R. Gehlback. 1988. Nest-site preferences of flammulated owls in western New Mexico. *Condor* 90: 653-661.
- McClelland, B. R., and P. T. McClelland. 1999. Pileated woodpecker nest and roost trees in Montana: links with old growth and forest "health." *Wildlife Society Bulletin* 27: 846- 857.
- McCullough, D. G., R. A. Werner, and D. Neuman. 1998. Fire and insects in northern and boreal ecosystems on North America. *Annual Review of Entomology* 43: 107-127.
- McCullough, D. R. 1978. Population dynamics of the Yellowstone grizzly bear. Pages 173-196 in *Dynamics of large mammal populations*. C. W. Fowler, and T. D. Smith, editors. John Wiley and Sons, New York, New York, USA.

- McCune, B., and T. F. H. Allen. 1985. Will similar forests develop on similar sites? *Canadian Journal of Botany* 63:367-376.
- McGrath, M. T., S. Destefano, R. A. Riggs, L. L. Irwin, and G. J. Roloff. 2003. Spatially explicit influences on northern goshawk nesting habitat in the interior Pacific Northwest. *Wildlife Society Monograph* 154.
- McHugh, C. W., and T. E. Kolb. 2003. Bark beetle attacks on ponderosa pine following fire in northern Arizona. *Environmental Entomology* 2003: 510-522.
- McMillin, J. D., and K. K. Allen. 2003. Effects of Douglas-fir beetle (Coleoptera: Scolytidae) infestation on forest overstory and understory conditions in western Wyoming. *Western North America Naturalist* 63: 498-506.
- Mellon, T. K., C. E. Meslow, and R. W. Mannan. 1992. Summertime home range and habitat use of pileated woodpeckers in western Oregon. *Journal of Wildlife Management* 56: 96-103.
- Miller, R. S. Determining differences in the spatial distribution of forest structure on the Kaibab Plateau: implications for forest management and the northern goshawk. Master's thesis, Colorado State University, Fort Collins, Colorado, USA.
- Miller, C. and D. L. Urban. 2000. Connectivity of forest fuels and surface fire regimes. *Landscape Ecology* 15:145-154.
- Mohren, S. R. 2002. Habitat evaluation and density estimates for the black-backed woodpecker (*Picoides arcticus*) and three-toed woodpecker (*Picoides tridactylus*) in the Black Hills National Forest. Master's thesis, University of Wyoming, Laramie, Wyoming, USA.
- Morris, W., D. Doak, M. Groom, P. Kareiva, J. Fieberg, L. Gerber, P. Murphy, and D. Thomson. 1999. A practical handbook for population viability analysis. The Nature Conservancy, Arlington, Virginia, USA.
- Moser, B. W., and E. O. Garton. 2004. Short-term effects of timber harvest on northern goshawk (*Accipiter gentilis*) breeding area occupancy, nest success, and productivity. Abstract, Raptor Research Foundation Annual Meeting, Bakersfield, California, USA.
- Murphy, E. C., and W. A. Lehnhausen. 1998. Density and foraging ecology of woodpeckers following a stand-replacement fire. *Journal of Wildlife Management* 62: 1359-1372.
- Nappi, A., P. Drapeau, J. Giroux, and J. L. Savard. 2003. Snag use by foraging black-backed woodpeckers (*Picoides arcticus*) in a recently burned eastern boreal forests. *Auk* 120: 505-511.
- Nasatir, A. P. 1952. Before Lewis and Clark. Volumes 1 & 2. St. Louis Historical Documents Foundation, St. Louis, Missouri, USA.

Neuenschwander, L. F., J. W. Byler, A. E. Harvey, G. I. McDonald, D. S. Ortiz, H. L. Osborne, G. C. Snyder, and A. Zack. 1999. White pine in the American west: a vanishing species-can we save it? USDA Forest Service General Technical Report RMRS-35, Ogden, Utah, USA.

Newton, I. 1998. Finches. Academic Press, San Diego, California, USA.

Niemi, G. J. 1978. Breeding birds of burned and unburned areas in northern Minnesota. *Loon* 50: 73-84.

Nilsson, S. G. 1987. Limitation and regulation of population density in the nuthatch *Sitta europaea* (Aves) breeding in natural cavities. *Journal of Animal Ecology* 56: 921-937.

Nilsson, S. G., and R. Baranowski. 1997. Habitat predictability and occurrence of wood beetles in old-growth beech forests. *Ecography* 20: 491-498.

Oakleaf, B., B. Luce, S. Ritter, and A. Cervo. 1992. Wyoming bird and mammal atlas. Wyoming Game and Fish Department, Lander, Wyoming, USA.

Patla, S. M. 1997. Nesting ecology and habitat of the northern goshawk in undisturbed and timber harvest areas on the Targhee National Forest, Greater Yellowstone Ecosystem. Master's thesis, Idaho State University, Pocatello, Idaho, USA.

Penteriani, V. 2002. Goshawk nesting habitat in Europe and North America: a review. *Ornis Fennica* 79: 149-163.

Penteriani, V., and B. Faivre. 2001. Effects of harvesting timber stands on goshawks in two European areas. *Biological Conservation* 101: 211-216.

Perrins, C. M. 1966. The effect of beech crops on great tit populations and movements. *British Birds* 59: 419-432.

Peterson, A. T., and C. R. Robins. 2003. Using ecological-niche modeling to predict barred owl invasions with implications for spotted owl conservation. *Conservation Biology* 17: 1161-1165.

Peterson, T. A., D. R. B. Stockwell, and D. A. Kluza. 2002. Distributional prediction based on ecological niche modeling of primary occurrence data. Pages 617-624 *in* Predicting species occurrences: issues of accuracy and scale. J. M. Scott, P. J. Heglund, M. L. Morrison, J. B. Hafler, M. G. Raphael, W. A. Wall, and F. B. Samson, editors. Island Press, Covelo, California, USA.

Phillips, A. R. 1942. Notes on the migration of the elf and flammulated screech owls. *Wilson Bulletin* 54: 132-137.

Pimm, S. L. 1991. The balance of nature? University of Chicago Press, Chicago, Illinois, USA.

Powell, H. D. W. 2000. The influence of prey density on post-fire habitat use of the black-backed woodpecker. Master's thesis, University of Montana, Missoula, Montana, USA.

Ralls, K., and B. L. Taylor. 1997. How viable is population viability analysis? Pages 228-235 *in* The ecological basis of conservation. S. T. A. Pickett, R. S. Ostfield, M. Shachak, and G. E. Likens, editors. Chapman and Hall, New York, New York, USA.

Ralls, K., S. R. Beissinger, and J. F. Cochrane. 2002. Guidelines for using population viability analysis in endangered-species management. Pages 521-550 *in* Population viability analysis. S. R. Beissinger, and D. R. McCullough, editors. University of Chicago Press, Chicago, Illinois, USA.

Raphael, M. G., and M. White. 1984. Use of snags by cavity-nesting birds in the Sierra Nevada. Wildlife Society Monograph 86.

Redmond, R. L., M. M. Hart, J. C. Winne, W. A. Williams, P. C. Thornton, Z. Ma, C. M. Tobalske, M. M. Thornton, K. P. McLaughlin, T. P. Tady, F. B. Fisher, and S. W. Running. 1998. The Montana Gap Analysis Project: final report. Montana Cooperative Wildlife Research Unit, University of Montana, Missoula, USA.

Reed, J. M., D. D. Murphy, and R. F. Brussard. 1998. Efficacy of population viability analysis. Wildlife Society Bulletin 26: 244-251.

Reich, R. M., S. M. Joy, and R. T. Reynolds. 2004. Predicting the location of northern goshawk nests: modeling the spatial dependency between locations and forest structure. Ecological Modeling 176:109-133.

Renkin, R. B., and E. P. Wiggins. 1989. Forest characteristics related to pileated woodpecker territory size in Missouri. Condor 91: 642-652.

Reynolds, R. T., and B. D. Linkhart. 1987. The nesting ecology of flammulated owls in Colorado. Pages 234 to 238 *in* Biology and conservation of northern forest owls. R. W. Nero, R. J. Clark, R. J. Knapton, and R. H. Hamre, editors. USDA Forest Service General Technical Report RM-142, Fort Collins, Colorado, USA.

Reynolds, J. T., R. T. Graham, M. H. Reiser, R. L. Bassett, P. L. Kennedy, D. A. Boyce, Jr., G. Goodwin, R. Smith, and E. L. Fisher. 1991. Management recommendations for the northern goshawk in the southwestern United States. USDA Forest Service General Technical Report RM-217, Fort Collins, Colorado, USA.

Reynolds, R. T., and B. D. Linkhart. 1992. Flammulated owls in ponderosa pine: evidence of preference for oldgrowth. Pages 166-169 *in* Old-growth forests in the southwest and Rocky Mountains Regions: proceedings of a workshop. USDA Forest Service General Technical Report RM-213, Fort Collins, Colorado, USA.

Ricketts, T. H., E. Dinnerstein, D. M. Olsen, C. J. Louks, W. Eichbaum, D. DellaSalla, K. Kavanagh, P. Hedou, P. T. Hurley, K. M. Carney, R. Abell, and S. Waters. 1999. Terrestrial ecoregions of North America. Island Press, Covelo, California, and Washington, DC, USA.

Rockwell, F. J. 1917. Western white pine. Part 1. The tree and the stand. Unpublished inventory on file. Idaho Panhandle National Forests, Coeur d' Alene, Idaho, USA.

Rollins, M. and T. W. Swetnam, and P. Morgan. 2000. Pages 283-287 *in* Twentieth century fire patterns in the Gila/Aldo Leopold Wilderness Complex New Mexico and the Selway-Bitterroot Wilderness Area Idaho/Montana. D. N. Cole, S. F. McCool, W. T. Borrie, and J. O'Loughlin, compilers. Wilderness science in a time of change conference - Volume 5: wilderness ecosystems, threats and management. USDA Forest Service Rocky Mountain Research Station, Proceedings RMRS-P-15-VOL-5.

Saab, V. A., and J. G. Dudley. 1998. Responses of cavity-nesting birds to stand replacement fire and salvage logging in ponderosa pine/Douglas-fir forests of Southwestern Idaho. USDA Forest Service Research Paper RP-11, Boise, Idaho, USA.

Salwasser, H., S. P. Mealey, and K. Johnson. 1984. Wildlife viability: a question of risk. Transactions of the North American Wildlife and Natural Resources Conference. 49: 421-421.

Samson, F. B. 1983. Minimum viable populations: a review. Natural Areas Journal 3: 15-23.

Samson, F. B. 2002. Population viability analysis: management, and conservation planning at large scales. Pages 425-441 *in* Population viability analysis. S. R. Beissinger, and D. R. McCullough, editors. University of Chicago Press, Chicago, Illinois, USA.

Samson, F. B., F. Perez-Trejo, H. Salwasser, L. F. Ruggiero, and M. L. Shaffer. 1985. On determining and managing minimum population size. Wildlife Society Bulletin 13: 425-433.

Samson, F. B., and F. L. Knopf. 1996a. Putting "ecosystem" into natural resource management. Journal of Soil and Water Conservation July-August: 288-291.

Samson, F. B., and F. L. Knopf. 1996b. Prairie Conservation: Preserving North America's most endangered ecosystem. Island Press, Washington, DC, USA.

Samson, F. B., F. L. Knopf, C. L. McCarthy; W. R. Ostlie, S. Larson, G. E. Plumb, B. R. Noon, D. N. Svingen, G. L. Schenbeck, S. M. Rinehart, and T. W. Byer. 2003. Conservation planning for population viability on Forest Service lands in the northern Great Plains USA. The Wildlife Society Bulletin 31: 986-999.

Samson, F. B., F. L. Knopf, and W. R. Ostlie. 2004. Great Plains ecosystems: past, present and future. Wildlife Society Bulletin 32: 6-15.

Sanchez-Martinez, G., and M. R. Wagner. 2002. Bark beetle community structure under four ponderosa pine stand conditions in northern Arizona. *Forest Ecology and Management* 170: 145-160.

Schoenagel, T., T. T. Veblen, and W. H. Romme. 2004. The interaction of fires, fuels, and climate across Rocky Mountain forests. *BioScience* 54: 661-675.

Sergio, F., and I. Newton. 2003. Occupancy as a measure of territorial quality. *Journal of Animal Ecology* 72: 857-865.

Settingington, M., I. D. Thompson, and W. A. Montevecchi. 2000. Woodpecker abundance and habitat use in mature balsam fir forests in Newfoundland. *Journal of Wildlife Management* 64: 335-345.

Shackelford, C. E., and R. N. Connor. 1997. Woodpecker abundance and habitat use in three forest types in eastern Texas. *Wilson Bulletin* 109: 132-141.

Shaffer, M. L. 1981. Minimum population sizes for species conservation. *BioScience* 31: 131-134.

Shaffer, M. L., and F. B. Samson. 1985. Population size and extinction: a note on determining critical population size. *American Naturalist* 125: 144-152.

Shaffer, M. L., L. H. Watchman, W. J. Snape III, and I. K. Latchis. 2002. Population viability analysis and conservation policy. Pages 123-145 in *Population viability analysis*. S. R. Beissinger, and D. R. McCullough, editors. University of Chicago, Chicago, Illinois, USA.

Short, L. L. 1971. Systematics and behavior of some North American woodpeckers, genus *Picoides*. *Bulletin of the American Museum of Natural History* 145: 1-118.

Short, L. L. 1974. Habitats and interactions of North American three-toed woodpeckers (*Picoides arcticus* and *Picoides tridactylus*). *American Museum Novitates* 2547: 1-42.

Small, A. 1994. *California birds: their status and distribution*. Ibis Publishing Company, Vista, California, USA.

Smith, J. K., and W. C. Fischer. 1997. Fire ecology of the forest habitat types of northern Idaho. USDA Forest Service General Technical Report INT-363, Ogden, Utah, USA.

Sonsthagen, S. A. 2002. Year-round habitat, movement, gene flow of northern goshawks breeding in Utah. Master's thesis. Brigham Young University, Provo, Utah, USA.

Squires, J. R., and L. F. Ruggiero. 1995. Winter movements of adult northern goshawks that nested in southcentral Wyoming. *Journal of Raptor Research* 29: 5-9.

Squires, J. R., and L. F. Ruggiero. 1996. Nest-site preferences of northern goshawks in south-central Wyoming. *Journal of Wildlife Management* 60: 170-177.

This March 6 2006 version replaces all earlier versions.

Squires, J. R., and R. T. Reynolds. 1997. Northern Goshawk. No. 298. In *The birds of North America*. The Academy of Natural Sciences, Philadelphia, Pennsylvania, and The American Ornithologists' Union, Washington, DC, USA.

Stephens, R. M. 2001. Migration, habitat use, and diet of northern goshawks (*Accipiter gentilis*) that winter in the Uinta Mountains, Utah. Master's thesis, University of Wyoming, Laramie, Wyoming, USA.

Taylor, D. L. 1979. Forest fires and tree-hole nesting cycle in Grand Teton and Yellowstone National Parks. *Transactions of the First Science and Research Conference* 1: 509-511.

Taylor, D. L., and W. J. Barmore, Jr. 1980. Post-fire succession of avifauna in coniferous forests of Yellowstone and Grand Teton National Parks, Wyoming. Pages 130-145 *in* Management of western forests and grasslands for non game birds. USDA Forest Service General Technical Report INT-86, Ogden, Utah, USA.

Taylor, J., and E. Schachtell. 2002. Black-backed woodpecker habitat analysis of six Idaho Panhandle National Forest at two scales. Unpublished mimeo on file, Idaho Panhandle National Forests, Coeur d' Alene, Idaho, USA.

Thomas, J. W., E. D. Forsman, J. B. Lint, E. C. Meslow, B. R. Noon, and J. Verner. 1990. A conservation strategy for the northern spotted owl: a report of the Interagency Scientific Committee to address the conservation of the northern spotted owl. USDA Forest Service; USDI Bureau of Land Management, Fish and Wildlife Service, National Park Service. Portland, Oregon, USA.

Thompson, I. D., H. A. Hogan, and W. A. Montevecchi. 1999. Avian communities of mature balsam forests in Newfoundland: age-dependence and implications for timber harvest. *Condor* 99: 311-323.

USDI Fish and Wildlife Service. 1998. Status review of the northern goshawk in the forested west. Portland, Oregon, USA.

Van Tyne, J. 1926. An unusual flight of Arctic three-toed woodpeckers. *Auk* 43: 469-474.

Villard, P. 1994. Foraging behavior of black-backed and three-toed woodpeckers during spring and summer in a Canadian boreal forest. *Canadian Journal of Zoology* 72: 1957-1959.

Villard, P., and C. W. Beninger. 1993. Foraging behavior of male black-backed and hairy woodpeckers in a forest burn. *Journal of Field Ornithology* 64: 71-76.

Wallin, K. F., T. E. Kolb, K. R. Skov, and M. R. Wagner. 2003. Effects of crown scorch on ponderosa pine resistance to bark beetles in northern Arizona. *Environmental Entomology* 32: 652-661.

This March 6 2006 version replaces all earlier versions.

- Weinhagen, A. C. 1998. Nest-site selection by the black-backed woodpecker in northeast Vermont. Master's thesis, University of Vermont Burlington, Vermont, USA.
- Werner, R. A. 2002. Effect of ecosystem disturbance on diversity of bark and wood-boring beetles. USDA Forest Service Research Paper PNW-546, Portland, Oregon, USA.
- Werner, R. A., and K. E. Post. 1985. Effects of wood-boring insects and bark beetles on survival and growth of burned white-spruce. Pages 14-16 *in* Early results of the Rosie Creek fire research project-1984. Agricultural Experiment Station Publication 85-2, University of Alaska, Fairbanks, Alaska, USA.
- West, J. D., and J. M. Speirs. 1959. The 1956-1957 invasion of three-toed woodpeckers. *Wilson Bulletin* 71: 348-363.
- Whitford, T. 1991. Defining old-growth Douglas-fir forests of central Montana and use of the Northern Goshawk (*Accipiter gentilis*) as a management indicator. Master's thesis, University of Montana, Missoula, Montana, USA.
- Wickman, B. E. 1965. Black-backed Three-toed Woodpecker, *Picoides arcticus*, predation on *Monochamus oregonensis* (Coleoptera: Cerambycidae). *Pan-pacific Entomology* 41: 162-164.
- Winter, J. 1974. The distribution of the flammulated owl in California. *Western Birds* 5: 25-43.
- Woudenberg, A. M. van. 2003. Estimating flammulated owl population trends at the northern range limit. *Bird Trends Winter*: 45-47.
- Woudenberg, A. M. van, and D. A. Christie. 2000. Flammulated owl habitat model validation for the Merrit and Kamloops Forest Districts. Proceedings of a conference on the biology and management of species and habitats at risk, Kamloops, British Columbia. British Columbia Ministry of Environment, Lands and Parks, Victoria, British Columbia, Canada.
- Wright, V. 1996. Multi-scale analysis of flammulated owl habitat use: owl distribution, habitat management, and conservation. Master's thesis, University of Montana, Missoula, Montana, USA.
- Yunick, R. P. 1985. A review of recent irruptions of the black-backed woodpecker and three-toed woodpecker in eastern North America. *Journal of Field Ornithology* 56:138-152.
- Zack, A. C. 1994. Early succession in western hemlock habitat types of northern Idaho. Dissertation, University of Idaho, Moscow, Idaho, USA.
- Zwickel, F. C., and M. A. Schroeder. 2003. Grouse of the Lewis and Clark expedition. *Northwest Science* 84: 1-19.