

FOREST SERVICE MANUAL  
Missoula, Montana

FSM 2500 - WATERSHED AND AIR MANAGEMENT

R-1 Supplement No. 2500-99-1

Effective November 12, 1999

POSTING NOTICE: Supplements to this title are numbered consecutively by title and calendar year. Post by document name. Remove entire document and replace with this supplement. Retain this transmittal as the first page of this document. This is the first supplement to this Title.

Document Name	Superseded (Number of Pages)	New (Number of Pages)
2550	--	6
2509.18,2	9	--

Digest:

2554 - This FSM supplement updates and clarifies the previous soil quality supplement (FSH 2509.18,2) based on recent research and collective experience from the field.

This supplement replaces FSH R1 Supplement 2509.18-94-1, effective 5/4/94, chapter 2, Soil Quality Monitoring handbook in its entirety.

/s/ Ronald D. Larsen (for)

DALE N. BOSWORTH  
Regional Forester

FSM 2500 - WATERSHED AND AIR MANAGEMENT  
R-1 SUPPLEMENT 2500-99-1  
EFFECTIVE 11/12/1999

CHAPTER 2550 - SOIL MANAGEMENT

2554 - SOIL QUALITY MONITORING.

2554.02 - Objectives. To meet direction in the National Forest Management Act of 1976 and other legal mandates. To manage National Forest System lands under ecosystem management principles without permanent impairment of land productivity and to maintain or improve soil quality.

2554.03 - Policy. Design and implement management practices that maintain or improve soil quality. Protection of the soil resource should be emphasized; restoration practices should be implemented where necessary. Soil quality is maintained when erosion, compaction, displacement, rutting, burning, and loss of organic matter are maintained within defined soil quality standards.

"Design new activities that do not create detrimental soil conditions on more than 15 percent of an activity area. When operations are planned in areas that do not meet soil quality standards due to prior activities, new activities should be planned to meet current standards. Detrimental conditions remaining from prior activities should be ameliorated as part of the current activities where feasible, with the net result being an activity area that is moving toward a net improvement in soil quality." 6/2000

2554.04 - Responsibility.

1. Regional Foresters.
  - a. Develop Regional Soil Quality Standards.
  - b. Coordinate with Research in the selection of suitable methods for monitoring soil disturbances.
  - c. Review Forest soil quality monitoring plans for technical adequacy and to ensure coordination within the Region.
  - d. Review soil quality monitoring results for application to other areas and for coordination with Research efforts.
2. Forest Supervisors.
  - a. Ensure that Forest-wide and project-level plans include soil quality standards.
  - b. Assess the extent to which soil quality standards are being met and whether they are effective in maintaining or improving soil quality.

- c. Provide training in the application of soil quality standards.
  - d. Evaluate the effectiveness of soil quality standards and recommend adjustments to the Regional Forester.
  - e. Report monitoring results to the Regional Forester.
3. District Rangers.
- a. Ensure that project planning documents identify measures necessary to meet soil quality standards.
  - b. Conduct post activity implementation monitoring to determine if soil quality standards have been met. Consult with soil scientists to evaluate the need to adjust management practices or apply rehabilitation measures.

2554.1 - Monitoring. Management activities create various amounts of soil disturbance, but ecologically sustainable land stewardship can minimize adverse impacts on soils. Soil quality standards provide benchmark values that indicate when changes in soil properties and soil conditions would result in significant change or impairment of soil quality based on available research and Regional experience (Page-Dumroese et al. In Review). Proper application of these standards requires professional knowledge and judgement.

Soil quality standards apply to lands where vegetation and water resource management are the principal objectives, that is, timber sales, grazing pastures or allotments, wildlife habitat, and riparian areas. The standards do not apply to intensively developed sites such as mines, developed recreation sites, administrative sites, or rock quarries. They are not intended to prohibit other resource management practices such as, installing waterbars or preparing sites for planting, as long as such practices are consistent with long-term sustainability of the soil resource. Permanent roads do affect soil-hydrologic function, however, their evaluation is more appropriately done on a watershed basis using models and other watershed analysis techniques.

1. Detrimental Soil Disturbance. These disturbances include the effects of compaction, displacement, rutting, severe burning, surface erosion, loss of surface organic matter, and soil mass movement. At least 85 percent of an activity area must have soil that is in satisfactory condition. Detrimental conditions include:

Compaction. Detrimental compaction is a 15 percent increase in natural bulk density. The cumulative effects of multiple site entries on compaction should also be considered since compacted soils often recover slowly.

Rutting. Wheel ruts at least 2 inches deep in wet soils are detrimental.

Displacement. Detrimental displacement is the removal of 1 or more inches (depth) of any surface soil horizon, usually the A horizon, from a continuous area greater than 100 square feet.

Severely-burned Soil. Physical and biological changes to soil resulting from high-intensity burns of long duration are detrimental. This standard is used when evaluating prescribed fire. Guidelines for assessing burn intensity are contained in the Burned-Area Emergency Rehabilitation Handbook (FSH 2509.13).

Surface Erosion. Rills, gullies, pedestals, and soil deposition are all indicators of detrimental surface erosion. Minimum amounts of ground cover necessary to keep soil loss to within tolerable limits (generally less than 1 to 2 tons per acres per year) should be established locally depending on site characteristics.

Soil Mass Movement. Any soil mass movement caused by management activities is detrimental.

2. Organic Matter Guidelines. The loss of surface organic matter can cause nutrient and carbon cycle deficits and negatively affect physical and biological soil conditions. Objectives for fine organic matter layer thickness and distribution should be determined locally based on similar soils or ecological types. The direct benefits of coarse woody material to soils can vary widely, depending on ecological type. Research guidelines such as those contained in Graham et al. 1994, should be used if more specific local guidelines are not available. Since the management of coarse woody material is important to wildlife, fire, and other resources, integration based on local objectives needs to occur.

3. Monitoring Methods. Visual methods are generally used to make initial evaluations of the effects of management activities on soils. The major objective of soil quality monitoring is to ensure that ecologically sustainable soil management practices are being applied. In most cases, qualitative estimates will be considered sufficient. The use of photo points provides good documentation and is recommended. Measurements and detailed sampling are used to calibrate visual methods and to conduct investigations where visual methods are inadequate or where benchmark or statistically valid sampling is required.

a. Areal Extent Sampling. Estimates of the percent of an activity area affected by detrimental soil disturbance can be made visually or by transecting. If statistically valid techniques are needed for benchmark sites, determine sample size and transect design using procedures described in Howes, Hazard, and Geist 1983.

b. Soil Sampling Techniques. Soil displacement, rutting, severely burned soil, erosion, mass movement, and above-ground organic matter can be observed and measured.

Soil compaction can be assessed by observing management-induced platy structure or by evaluating changes in bulk density, macroporosity, or penetration resistance using appropriate methods. Tile spade estimations of soil compaction are very effective and can be calibrated with soil strength (Clayton 1987). Root-restricting bulk densities for various soil particle-size classes are displayed in the National Soil Survey

Handbook, 618.06. These bulk density values can also be used as indicators of detrimental soil compaction.

Randomly located samples should be taken prior to soil disturbance to estimate the natural bulk density, penetration resistance, infiltration rate, or soil structure. If the site has been previously disturbed, an adjacent area with similar soils can be sampled.

## DEFINITIONS

Activity Area. A land area affected by a management activity to which soil quality standards are applied. Activity areas must be feasible to monitor and include harvest units within timber sale areas, prescribed burn areas, grazing areas or pastures within range allotments, riparian areas, recreation areas, and alpine areas. All temporary roads, skid trails, and landings are considered to be part of an activity area.

Bulk Density. The mass of dry soil per unit volume, corrected for weight and volume of coarse fragments greater than 2mm in diameter.

Compaction. A physical change in soil properties from compression, vibration, or shearing that increases soil bulk density and decreases porosity, air exchange, root penetration, infiltration, and permeability.

Coarse Woody Material. Organic materials on the soil surface such as plant stems, branches, and logs with a diameter greater than 3 inches.

Detrimental Soil Condition. The condition where established soil quality standards are not met and the result is a significant change in soil quality.

Displacement. The removal and horizontal movement of soil from one place to another, usually by mechanical forces such as dozer blades, repeated vehicular traffic, or the yarding of logs.

Fine Organic Matter. Organic materials such as plant litter, duff, and woody material less than 3 inches in diameter in contact with the soil surface.

Ground Cover. Ground cover consists of vegetation, fine organic matter, coarse woody material, and rock fragments larger than three-fourths inch in diameter in contact with the soil surface.

Hydrologic Function. Soil hydrologic function is the ability of the soil to absorb, store, and transmit water, both vertically and horizontally. Changes in soil bulk density, soil structure, and ground cover can alter the hydrologic function of the soil.

Restoration. Treatments that restore vital soil functions to their inherent range of variability. It is recognized that treatments may need to occur over a period of years and may need to be maintained. Restoration treatments could include, but are not limited to, tillage, ripping, seeding, mulching, recontouring of temporary roads, and water barring.

Rutting. Deformation of the soil under saturated conditions resulting in detrimental changes to soil structure and reduced porosity.

Soil Function. Primary soil functions are: (1) the sustenance of biological activity, diversity, and productivity, (2) soil hydrologic function, (3) filtering, buffering, immobilizing, and detoxifying organic and inorganic materials, and (4) storing and cycling nutrients and other materials.

Soil Mass Movement. The detachment and downslope movement of soil or the surface mantle in the form of debris slides/avalanches or deep-seated rotational failures or slumps.

Soil Quality. The capacity of a specific soil to function within its surroundings, support plant and animal productivity, maintain or enhance water and air quality, and support human health and habitation.

Surface Erosion. The detachment and transport of individual soil particles by wind, water, or gravity. Surface erosion is the loss of soil in a fairly uniform layer across the land surface (sheet erosion), in many small rills, or as larger gullies.

#### REFERENCES

Clayton, James L.; Kellogg, Gary; Forrester, Neal. 1987. Soil disturbance - tree growth relations in central Idaho clear-cut. Research Note INT-372. Ogden, Utah: United States Department of Agriculture, Forest Service, Intermountain Research Station. 6 p.

Graham, Russell T.; Harvey, Alan E.; Jurgensen, Martin F.; Jain, Theresa B.; Tonn, Jonalea R.; Page-Dumroese, Deborah S. 1994. Managing coarse woody debris in forests of the rocky mountains. Research Paper INT-RP-477. Ogden, Utah: United States Department of Agriculture, Forest Service, Intermountain Research Station. 13 p.

Howes, Steve; Hazard, John; Geist, J. Michael. 1983. Guidelines for sampling some physical conditions of surface soils. Region 6-RWM-146-1983. Portland, Oregon: United States Department of Agriculture, Forest Service, Pacific Northwest Region. 34 p.

Page-Dumroese, D.; Jurgensen, M.; Elliot, W.; Rice, T.; Nesser, J.; Collins, T.; Meurisse, R. In Review. Soil quality standards and guidelines for forest sustainability: a synthesis of monitoring and research results in northwestern North America. United States Department of Agriculture, Forest Service, Rocky Mountain Research Station, Moscow, Idaho. 24 p.